British Journal of Dermatology

Volume 142

January–June 2000

Published for the
British Association of Dermatologists
by Blackwell Science

British Journal of Dermatology

The *British Journal of Dermatology* is owned by and is the official organ of the British Association of Dermatologists.

EDITOR

DR S.M.BREATHNACH
St Thomas' Hospital, St John's Institute of Dermatology, Lambeth Palace Road, London SE1 7EH
DR N.H.COX
Cumberland Infirmary, Department of Dermatology, Newtown Road, Carlisle CA2 7HY

EDITORIAL ADVISORY BOARD

PROF. D.R.GARROD, *Manchester*
PROF. C.E.M.GRIFFITHS, *Manchester*
PROF. I.M.LEIGH, *London*
PROF. J.L.REES, *Edinburgh*
PROF. H.C.WILLIAMS, *Nottingham*

ASSOCIATE EDITORS

DR D.J.EEDY, *Craigavon*
DR J.A.MCGRATH, *London*
DR C.S.MUNRO, *Glasgow*
DR G.M.MURPHY, *Dublin*
DR A.D.ORMEROD, *Aberdeen*
DR N.J.REYNOLDS, *Newcastle-upon-Tyne*
DR D.N.SLATER, *Rotherham*

EDITORIAL ASSISTANT

MS C.MOSSOP
BAD Office, London

The British Journal of Dermatology is published monthly and the subscription prices for 2000 are £482.00 (Europe), £529.00 (overseas except North America), $841.00 (U.S.A. and Canada), in all cases post free. Personal subscription rates are £115.00 (Europe), £126.00 (overseas except North America) and £200.50 (U.S.A. and Canada). Subscribers in Canada must add 7% to the subscription price, to allow for GST. Subscribers in Europe must quote their VAT registration number or state that they are not registered. Subscribers in the following countries who are not VAT-registered must add VAT at the appropriate rate: Belgium 6% (TVA/BTW), France 2.1% (TVA), Germany 7%, (MWST), Spain 4% (IVA), the Netherlands 6% (BTW). Subscriptions are run on a calendar year basis, starting with the first issue of the year in all cases. Orders for current subscriptions and back issues should be sent to Blackwell Science Ltd, Journal Subscriptions, PO Box 88, Oxford OX2 0NE, U.K. Tel.: +44 1865 206180 or 206038, Fax: +44 1865 206219, e-mail: jnl.orders@blacksci.co.uk.

© 2000 British Association of Dermatology. Authorization to photocopy items for internal or personal use or the internal or personal use of specific clients is granted by British Association of Dermatology for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of $15.00 per copy is paid directly to CCC, 222 Rosewood Drive, Suite 910, Danvers, MA 01923, U.S.A. This consent does not extend to other kinds of copying, such as copying for general distribution for advertising or promotional purposes, for creating new collective works or for resale. Special requests should be addressed to the Editor. *British Journal of Dermatology* 0007-0963/00. $15.00.

Typeset and printed by the Alden Group, Oxford.

Contents

Volume 142, Number 1, January

Editorial comments

1 Can you COPE with CONSORT?
N.H.COX AND H.C.WILLIAMS

4 Solar urticaria
P.M.FARR

5 Gluten and psoriasis
R.J.G.CHALMERS AND B.KIRBY

Review article

8 Detoxifying enzyme genotypes and susceptibility to cutaneous malignancy
J.T.LEAR, A.G.SMITH, R.C.STRANGE AND A.A.FRYER

Fast-track paper

16 Extracorporeal photopheresis in cutaneous T-cell lymphoma. Inconsistent data underline the need for randomized studies
R.RUSSELL-JONES

Original articles

22 Guidelines for topical PUVA: a report of a workshop of the British Photodermatology Group
S.M.HALPERN, A.V.ANSTEY, R.S.DAWE, B.L.DIFFEY, P.M.FARR, J.FERGUSON, J.L.M.HAWK, S.IBBOTSON, J.M.MCGREGOR, G.M.MURPHY, S.E.THOMAS AND L.E.RHODES

32 The clinical and photobiological characteristics of solar urticaria in 40 patients
N.UETSU, H.MIYAUCHI-HASHIMOTO, H.OKAMOTO AND T.HORIO

39 Half-side comparison study on the efficacy of 8-methoxypsoralen bath-PUVA *versus* narrow-band ultraviolet B phototherapy in patients with severe chronic atopic dermatitis
M.DER-PETROSSIAN, A.SEEBER, H.HÖNIGSMANN AND A.TANEW

44 Psoriasis patients with antibodies to gliadin can be improved by a gluten-free diet
G.MICHAËLSSON, B.GERDÉN, E.HAGFORSEN, B.NILSSON, I.PIHL-LUNDIN, W.KRAAZ, G.HJELMQUIST AND L LÖÖF

52 Cyclosporin for severe childhood atopic dermatitis: short course *versus* continuous therapy
J.I.HARPER, I.AHMED, G.BARCLAY, M.LACOUR, P.HOEGER, M.J.CORK, A.Y.FINLAY, N.J.E.WILSON, R.A.C.GRAHAM-BROWN, J.M.SOWDEN, A.L.BEARD, M.J.SUMNER AND J.BERTH-JONES

59 The Roswell Park Cancer Institute experience with extramammary Paget's disease.
J.D.ZOLLO AND N.C.ZEITOUNI

66 Educating patients about malignant melanoma: computer-assisted learning in a pigmented lesion clinic
E.SEFTON, C.GLAZEBROOK, P.GARRUD AND I.ZAKI

72 Development of a polymerase chain reaction dot-blotting system for detecting cutaneous tuberculosis
S.K.ARORA, B.KUMAR AND S.SEHGAL

77 Response of naevus of Ota to Q-switched ruby laser treatment according to lesion colour
S.UEDA, M.ISODA AND S.IMAYAMA

84 Allergic contact dermatitis to plant extracts in patients with cosmetic dermatitis
K.E.THOMSON AND S.M.WILKINSON

89 Keratin expression in the normal nail unit: markers of regional differentiation
D.DE BERKER, E.WOJNAROWSKA, L.SVILAND, G.E.WESTGATE, R.P.R.DAWBER AND I.M.LEIGH

97 A double-blind, randomized study to compare the efficacy and safety of terbinafine (Lamisil®) with fluconazole (Diflucan®) in the treatment of onychomycosis
V.HAVU, H.HEIKKILÄ, K.KUOKKANEN, M.NUUTINEN, T.RANTANEN, S.SAARI, S.STUBB, R.SUHONEN AND K.TURJANMAA

103 The presence of antibodies against virus-like particles of epidermodysplasia verruciformis-associated human papillomavirus type 8 in patients with actinic keratoses
J.N.BOUWES BAVINCK, S.STARK, A.K.PETRIDIS, M.E.MARUGG, J.TER SCHEGGET, R.G.J.WESTENDORP, P.G.FUCHS, B.J.VERMEER AND H.PFISTER

Short communications

110 Sebum excretion in mothers and neonates
C.A.HENDERSON, J.TAYLOR AND W.J.CUNLIFFE

112 Assessment of minimal phototoxic dose following 8-methoxypsoralen bath: maximal reaction on average after 5 days
S.BEHRENS-WILLIAMS, C.GRUSS, M.GRUNDMANN-KOLLMANN, R.U.PETER AND M.KERSCHER

Case reports

116 A case of erythema elevatum diutinum associated with B-cell lymphoma: a rare distribution involving palms, soles and nails
Y.FUTEI AND I.KONOHANA

120 Two cases of primary hyperparathyroidism associated with primary cutaneous lymphoma
C.OWEN, R.W.BLEWITT, P.V.HARRISON AND V.M YATES

124 Mycosis fungoides bullosa simulating pyoderma gangrenosum
K.K-L HO, A.BROWNE, J.FITZGIBBONS, D.CARNEY AND F.C.POWELL

128 Polypoid Spitz naevus: the benign counterpart of polypoid malignant melanoma
G.FABRIZI AND G.MASSI

133 A sporadic case of progressive mucinous histiocytosis
U.SASS, J.ANDRÉ AND M.SONG

138 Linear congenital smooth muscle hamartoma with follicular spotted appearance
H-S.JANG, M-B.KIM, C-K.OH, K-S.KWON AND T-A.CHUNG

143 Pemphigoid nodularis with IgA autoantibodies against the intracellular domain of desmoglein 1
H.FUJISAWA, Y.ISHII, T.TATEISHI, Y.KAWACHI, F.OTSUKA, M.AMAGAI, A.KOMAI AND T.HASHIMOTO

148 Distichiasis–lymphoedema: clinical features, venous function and lymphoscintigraphy
J.L.ROSBOTHAM, G.W.BRICE, A.H.CHILD, T.O.NUNAN, P.S.MORTIMER AND K.G.BURNAND

153 Penile Kaposi's sarcoma preceded by chronic penile lymphoedema
R.A.SCHWARTZ, J.B.COHEN, R.A.WATSON, P.GASCÓN, R.N.AHKAMI, Z.RUSZCZAK, J.HALPERN AND W.C.LAMBERT

157 Ichthyosis follicularis with alopecia and photophobia in a mother and daughter
K.C.SATO-MATSUMURA, T.MATSUMURA, M.KUMAKIRI, K.HOSOKAWA, H.NAKAMURA, H.KOBAYASHI AND A.OHKAWARA

163 Face dermatitis from contaminants on a mask for anaesthesia
P.KOMERICKI, C.SZOLAR-PLATZER, B.KRÄNKE AND W.ABERER

166 Dexamethason- induced healing of chronic leg ulcers in a patient with defective organization of the extracellular matrix of fibronectin
G.DE PANFILIS, A.GHIDINI, S.GRAIFEMBERGHI, S.BARLATI, N.ZOPPI AND M.COLOMBI

171 Successful treatment of aphthous ulcerations in AIDS patients using topical granulocyte-macrophage colony-stimulating factor
P.HERRANZ, J.R.ARRIBAS, A.NAVARRO, J.M.PEÑA, J.GONZÁLEZ, F.A.RUBIO AND M.CASADO

Correspondence

177 Peristomal lichen sclerosus affecting colostomy sites
A.AH-WENG AND R.CHARLES-HOLMES

178 COL3A1 mutation leading to acrogeria (Gottron type)
T.JANSEN, A.DE PAEPE, L.NUYTINCK AND G.PLEWIG

180 Zosteriform relapse of B-cell lymphoma
W.Y.AU, A.C.L.CHAN AND Y.L.KWONG

182 Zosteriform metastasis of colonic carcinoma
I.AHMED, K.J.HOLLEY AND R.CHARLES-HOLMES

183 Subcutaneous T-cell lymphoma in a child with eosinophilia
S.TANIGUCHI AND T.KONO

184 Melanocytes in squamous cell carcinoma of the skin
S.J.DIAZ-CANO

184 Ultraviolet-induced generalized acquired dermal melanocytosis with numerous melanophages
F.MURAKAMI, T.BABA AND M.MIZOGUCHI

186 Perianal ulceration: a rare manifestation of tuberculosis
E.HONIG, W.I.VAN DER MEIJDEN, E.C.GROENINX VAN ZOELEN AND E.B.DE WAARD-VAN DER SPEK

187 Hepatitis C virus: a common triggering factor for both nodular vasculitis and Sjögren's syndrome?
C.CARDINALI, G.GERLINI, M.CAPRONI, N.PIMPINELLI AND P.FABBRI

189 Radiotherapy and erythema nodosum
L.A.FEARFIELD AND C.B.BUNKER

189 Interferon α-2b for treatment of complex cutaneous haemangiomas of infancy: a reduced dosage schedule
E.RAMPINI, P.RAMPINI, C.OCCELLA AND D.BLEIDL

191 A case of toxic epidermal necrolysis treated with intravenous immunoglobin
S.MAGINA, C.LISBOA, E.GONÇALVES, F.CONCEIÇÃO, V.LEAL AND J.MESQUITA-GUIMARÃES

192 Angiolymphoid hyperplasia with eosinophilia successfully treated with the flash-lamp pulsed-dye laser
E.PAPADAVID, T.KRAUSZ, A.C.CHU AND N.P.J.WALKER

194 A caution about surgical treatment for facial blushing
P.D.DRUMMOND

195 Staphylococcal toxins and the scalded skin syndrome
S.LADHANI

196 Lip papillomatosis in immunodeficiency: therapy with imiquimod
D.RINNE, C.LINHART AND H.SCHÖFER

197 Crusted scabies in a girl with epidermolysis bullosa simplex
A.TORRELO AND A.ZAMBRANO

198 Isotretinoin associated with craving for cigarettes
T.C.LING AND A.S.HIGHET

200 Book reviews

201 Erratum

201 News and notices

Volume 142, Number 2, February 2000

Editorial comments

203 Fragrance allergy
M.H.BECK

205 What are some of the lessons learnt from *in vitro* studies of severe unpredictable drug reactions?
J.R.SULLIVAN AND N.H.SHEAR

209 Understanding of the pathophysiology of pemphigus suggests innovative therapeutic approaches
J.R.STANLEY

Original articles

210 Characterization of an *in vitro* model of human melanoma invasion based on reconstructed human skin
P.EVES, C.LAYTON, S.HEDLEY, R.A.DAWSON, M.WAGNER, R.MORANDINI, G.GHANEM AND S.MAC NEIL

223 Expression of transglutaminase activity in developing human epidermis
M.AKIYAMA, L.T.SMITH AND H.SHIMIZU

226 Topical hyaluronidase decreases hyaluronic acid and CD44 in human skin and in reconstituted human epidermis: evidence that hyaluronidase can permeate the stratum corneum
J-P.LAUGIER, S.SHUSTER, M.ROSDY, A.B.CSÓKA, R.STERN AND H.I.MAIBACH

234 The distribution of choline acetyltransferase- and acetylcholinesterase-like immunoreactivity in the palmar skin of patients with palmoplantar pustulosis
E.HAGFORSEN, A.EINARSSON, F.ARONSSON, K.NORDLIND AND G.MICHAËLSSON

243 The use of cytokeratins 7 and 20 in the diagnosis of primary and secondary extramammary Paget's disease
T.OHNISHI AND S.WATANABE

248 Refined localization of the gene for Clouston syndrome (hidrotic ectodermal dysplasia) in a large French family
J LAMARTINE, D.LAOUDJ, C.BLANCHET-BARDON, Z.KIBAR, P.SOULARUE, V.RIDOUX, L.DUBERTRET, G.A.ROULEAU AND G.WAKSMAN

253 Sequential assessment of an antidrug antibody response in a patient with a systemic delayed-onset sulphonamide hypersensitivity syndrome reaction
K.BEDARD, S.SMITH AND A.CRIBB

259 VML 295 (LY-293111), a novel LTB_4 antagonist, is not effective in the prevention of relapse in psoriasis
J.M.MOMMERS, M.M.VAN ROSSUM, M.E.KOOIJMANS-OTERO, G.L.PARKER AND P.C.M.VAN DE KERKHOF

267 Histological increase in inflammatory infiltrate in sun-exposed skin of female subjects: the possible involvement of matrix metalloproteinase-1 produced by inflammatory infiltrate on collagen degradation
T.HASE, K.SHINTA, T.MURASE, I.TOKIMITSU, M.HATTORI, R.TAKIMOTO, R.TSUBOI AND H.OGAWA

274 The British Association of Dermatologists audit of atopic eczema management in secondary care. Phase 2: audit of service process
K.W.SHUM, S.LAWTON, H.C.WILLIAMS, G.DOCHERTY AND J.JONES

279 The frequency of fragrance allergy in a patch-test population over a 17-year period
D.A.BUCKLEY, S.H.WAKELIN, P.T.SEED, D.HOLLOWAY, R.J.G.RYCROFT, I.R.WHITE AND J.P.McFADDEN

284 Descriptive epidemiology of hand dermatitis at the St John's contact dermatitis clinic 1983–97
H.R.SMITH, D.K.B.ARMSTRONG, S.H.WAKELIN, R.J.G.RYCROFT, I.R.WHITE AND J.P.McFADDEN

288 The Nottingham Eczema Severity Score: preliminary refinement of the Rajka and Langeland grading
R.M.EMERSON, C.R.CHARMAN AND H.C.WILLIAMS

298 Hand eczema in twins: a questionnaire investigation
L.E.BRYLD, T.AGNER, K.O.KYVIK, L.BRØNDSTED, C.HINDSBERGER AND T.MENNÉ

306 Atopic dermatitis and melanocytic naevi
A.BROBERG AND A.AUGUSTSSON

310 Lichen planus with lesions on the palms and/or soles: prevalence and clinicopathological study of 36 patients
J.SÁNCHEZ-PÉREZ, L.RIOS BUCETA, J.FRAGA AND A.GARCÍA-DÍEZ

315 Laryngeal involvement in the Dowling–Meara variant of epidermolysis bullosa simplex with keratin mutations of severely disruptive potential
C.S.SHEMANKO, H.M.HORN, S.G.KEOHANE, N.HEPBURN, A.I.G.KERR, D.J.ATHERTON, M.J.TIDMAN AND E.B.LANE

321 Development of chimeric molecules for recognition and targeting of antigen-specific B cells in pemphigus vulgaris
C.M.PROBY, T.OTA, H.SUZUKI, S.KOYASU, S.GAMOU, N.SHIMIZU, J.K.WAHL, M.J.WHEELOCK, T.NISHIKAWA AND M.AMAGAI

331 Teaching non-specialist health care professionals how to identify the atypical mole syndrome phenotype: a multinational study
J.A.NEWTON BISHOP, M.BRADBURN, W.BERGMAN, A.OSTERLIND, E.PINNEY, I.ROSDAHL, L.SCERRI, M.WEICHENTHAL, D.MANT, E.W.BREITBART, P.KARLSSON AND D.G.ALTMAN

Short communication

338 Photodynamic therapy with delta-aminolaevulinic acid for nodular basal cell carcinomas using a prior debulking technique
M.R.T.M THISSEN, C.A.SCHROETER AND H.A.M.NEUMANN

Case reports

340 Flegel's disease treated with psoralen ultraviolet A
S.M.COOPER AND S.GEORGE

343 Redefining Rowell's syndrome
N.C.ZEITOUNI, D.FUNARO, R.A.CLOUTIER, E.GAGNÉ AND J.CLAUVEAU

347 Pityriasis lichenoides-like mycosis fungoides in children
J-W.KO, J-Y.SEONG, K-S.SUH AND S-T.KIM

353 Granulomatous slack skin: successful treatment with recombinant interferon gamma
T.KONO, T.S.NAGAYASU, T.NAKANISHI, D.TSURATA, M.ISHII, S.TANIGUCHI, T.TAKEDA AND M.HINO

358 Phacomatosis pigmentovascularis type IIa successfully treated with two types of laser therapy
I.ONO AND T.TATESHITA

362 Acquired digital arteriovenous malformation: a report of six cases
T.KADONO, A.KISHI, Y.ONISHI AND K.OHARA

366 Cutis marmorata telangiectatica congenita: report of 18 cases
M.J.P.GERRITSEN, P.M.STEIJLEN, H.G.BRUNNER AND P.RIEU

Correspondence

370 The beta subunit of the high-affinity IgE receptor, a candidate for atopic dermatitis, is not imprinted
S.YOTSUMOTO, T.KANZAKI AND M.S.H.KO

371 Macular amyloidosis with an incontinentia pigmenti-like pattern
H.T.AN, K.H.HAN AND K.H.CHO

373 Pustular vasculitis secondary to achalasia of the cardia
S.C.TUCKER, R.J.G.CHALMERS, S.M.ANDREW AND N.J.ODOM

374 Sneddon's syndrome in a child
P.GOTTLÖBER, G.BEZOLD, A.SCHAER, W.STOLZ, I.FRIESECKE, R.U.PETER AND M.KERSCHER

376 Pityriasis rubra pilaris treated with acitretin and narrow-band ultraviolet B (Re-TL-01)
B.KIRBY AND R.WATSON

377 Lichen planus with xanthomatous change in a patient with primary biliary cirrhosis
C-Y.CHU, C-Y.YANG, S-F.HUANG, S-C.LU AND L-F.WANG

378 Cerebrotendinous xanthomatosis: report of a case
S.NAKAMURA, T.TAMURA, H.TAKAHASHI, A.ISHIDA-YAMAMOTO, Y.HASHIMOTO, K.KURODA AND H.IIZUKA

380 Keratoacanthoma arising in hypertrophic lichen planus
A.BADELL, J.MARCOVAL, I.GALLEGO, A.MORENO AND J PEYRÍ
382 Naevoid hyperkeratosis of the nipple and areola in a man
Y.KUBOTA, T.KOGA, J.NAKAYAMA AND H.KIRYU
384 Hepatocellular adenomatosis presenting as prurigo
I.LOZE, M.H.TESSIER, O.JUMBOU AND B.DRENO
386 Fulminating septicaemia caused by *Vibrio vulnificus*
L.SERRANO-JAEN AND E.VEGA-LOPEZ
387 A case of cold abscess due to disseminated tuberculosis in an AIDS patient
N.ISHII, M.ONODA AND Y.SUGITA
388 Exacerbation of asthma by isotretinoin
N.KAPUR, J.R.HUGHES AND M.H.A.RUSTIN
389 Photosensitizing drugs may lower the narrow-band ultraviolet B (TL-01) minimal erythema dose
H.CAMERON AND R.S.DAWE
390 Reactive perforating collagenosis associated with underlying malignancy
J.L.BONG, C.J.FLEMING AND D.KEMMETT
392 Vascular endothelial growth factor and basic fibroblast growth factor in melanoma
F.WEBER, N.SEPP AND P.FRITSCH
394 Book Reviews
394 News and Notices

Volume 142, Number 3, March 2000

Editorial comments
397 Non-melanoma skin cancer and the 'new National Health Service': implications for U.K.dermatology?
D.J.EEDY
399 Measuring the activity of disease in cutaneous lupus erythematosus
M.GOODFIELD

Original articles
401 Cytokines and chemokines in the initiation and regulation of epidermal Langerhans cell mobilization
I.KIMBER, M.CUMBERBATCH, R.J.DEARMAN, M.BHUSHAN AND C.E.M.GRIFFITHS
413 Laser resurfacing of the skin for the improvement of facial acne scarring: a systematic review of the evidence
R.JORDAN, C.CUMMINS AND A.BURLS
424 Identification of pancreatic type I secreted phospholipase A_2 in human epidermis and its determination by tape stripping
J.MAZEREEUW-HAUTIER, D.REDOULES, R.TARROUX, M.CHARVERON, J.P.SALLES, M.F.SIMON, I.CERUTTI, M.F.ASSALIT, Y.GALL, J.L.BONAFE AND H.CHAP
432 Expression of the inducible isoform of nitric oxide synthase in pigment cell lesions of the skin
B.AHMED AND J.J.VAN DEN OORD
441 Preliminary evidence of an association of turmour necrosis factor microsatellites with increased risk of multiple basal cell carcinomas
A.H.HAJEER, J.T.LEAR, W.E.R.OLLIER, M.NAVES, J.WORTHINGTON, D.A.BELL, A.G.SMITH, W.P.BOWERS, P.W.JONES, R.C.STRANGE AND A.A.FRYER
446 Basal cell carcinoma: are early appointments justifiable?
P.M.GORDON, N.H.COX, W.D.PATERSON AND C.M.LAWRENCE
449 Autocytotoxic T-cell clones in lichen planus
P.B.SUGERMAN, K.SATTERWHITE AND M.BIGBY
457 Measuring the activity of the disease in patients with cutaneous lupus erythematosus
A.PARODI, C.MASSONE, M.CACCIAPUOTI, M.G.ARAGONE, P.BONDAVALLI, G.CATTARINI AND A.REBORA
461 Antineutrophil cytoplasmic antibodies and HLA class II alleles in minocycline-induced lupus-like syndrome
J.DUNPHY, M.OLIVER, A.L.RANDS, C.R.LOVELL AND N.J.McHUGH
468 The clinical spectrum of epidermolysis bullosa simplex
H.M.HORN AND M.J.TIDMAN
473 Changes in collagen I and collagen III metabolism in patients with generalized atopic eczema undergoing medium-dose ultaviolet A1 phototherapy
M.MEMPEL, T.SCHMIDT, K.BOECK, K.BROCKOW, S.STACHOWITZ, H.FESQ, T.SCHÄFER, S.THOMSEN,C.SCHNOPP, J.RING, R.PROBST, P.LUPPA AND D.ABECK
481 Lichen sclerosus premenarche: autoimmunity and immunogenetics
J.POWELL, E.WOJNAROWSKA, S.WINSEY, P.MARREN AND K.WELSH
485 Hand dermatosis in upper secondary school pupils: 2-year comparison and follow-up
M.YNGVESON, Å.SVENSSON, A.JOHANNISON AND Å.ISACSSON
490 Changes in the pattern of sensitization to common contact allergens in Denmark between 1985–86 and 1997–98, with a special view to the effect of preventive strategies
J.DUUS JOHANSEN, T.MENNÉ, J.CHRISTOPHERSEN, K.KAABER AND N.VEIEN

Case reports
496 Lipodystrophy associated with protease inhibitors
I.PANSE, E.VASSEUR, M.L.RAFFIN-SANSON, E.STAROZ, E.ROUVEIX AND P.SAIAG
501 Acquired immune deficiency syndrome-related hyperkeratotic Kaposi's sarcoma with severe lymphoedema: report of five cases
U.R.HENGGE, K.STOCKS AND M.GOOS
506 Use of mycophenolate mofetil in the treatment of paraneoplastic pemphigus
J.V.WILLIAMS, J.G.MARKS JR.AND E.M.BILLINGSLEY
509 PUVA-induced lichen planus pemphigoides
N.KURAMOTO, S.KISHIMOTO, R.SHIBAGAKI AND H.YASUNO
513 Coexistence of psoriasis and linear IgA bullous dermatosis
Y.TAKAGI, S.SAWADA, M.YAMAUCHI, M.AMAGAI AND M.NIIMURA
517 Epidermolysis bullosa acquisita with ultraviolet radiation sensitivity
U.JAPPE, D.ZILLIKENS, B.BONNEKOH AND H.GOLLNICK

521 Systemic lupus erythematosus with C1q deficiency
N.M.STONE. A.WILLIAMS. J.D.WILKINSON AND G.BIRD

525 Two cases of Merkel cell tumour arising in patients with chronic lymphocytic leukaemia
P.ZIPRIN. S.SMITH. G.SALERNO AND R.D.ROSIN

529 Macroscopic and microscopic mucinosis in chronic sclerodermoid graft-versus-host disease
M.AMEEN AND R.RUSSELL-JONES

533 Cerebriform nodular amelanotic metastases of malignant melanoma: a challenge in differential diagnosis of a rare variant
A.ASSMAN. B.FARTHMANN. O.BURKHARDT. E.DIPPEL. C.E.ORFANOS AND U.BLUME-PEYTAVI

537 Angiomatoid (malignant) fibrous histiocytoma as a second tumour in a child with neuroblastoma
C.GAMBINI. R.HAUPT AND F.RONGIOLETTI

540 Squamous cell carcinoma arising in Hailey–Hailey disease of the vulva
S.E.COCKAYNE. D.M.RASSL AND S.E.THOMAS

543 Apocrine acrosyringeal keratosis in association with syringocystoadenoma papilliferum
S.KISHIMOTO. S.WAKABAYASHI. M.YAMAMOTO. Y.NODA. H.TAKENAKA AND H.YASUNO

548 A case of guttate psoriasis following Kawasaki disease
M-H.HAN. K-A.JANG. K-J.SUNG. K-C.MOON. J-K.KOH AND J-H.CHOI

551 The treatment of atopic dermatitis with adjunctive high-dose intravenous immunoglobulin: a report of three patients and review of the literature
S.JOLLES. J.HUGHES AND M.RUSTIN

555 Viral folliculitis on the face
K-A.JANG. S-H.KIM. J-H.CHOI. K-J.SUNG. K-C.MOON AND J-K.KOH

Correspondence

560 Penicillamine-induced elastosis perforans serpiginosa and cutis laxa in Wilson's disease
V.A.HILL. C.A.SEYMOUR AND P.S.MORTIMER

561 A case of cutaneous polyarteritis nodosa associated with ulcerative colitis
Y.MATSUMURA. K.MIZUNO. K.OHTA. H.OKAMOTO AND S.IMAMURA

562 Hypertrophic osteoarthropathy associated with pyoderma gangrenosum
M-H.HAN. G-J.KOH. J-K.KOH AND K-C.MOON

564 CD8-positive mycosis fungoides presenting as capillaritis
M.AMEEN. A.DARVA. M.M.BLACK. D.H.McGIBBON AND R.RUSSELL-JONES

567 Intraoperative detection of 5-aminolaevulinic acid-induced protoporphyrin fluorescence in lymphonode metastases after oral administration
Y.ITOH. Y.NINOMIYA. T.HENTA. S.TAJIMA AND A.ISHIBASHI

569 Low specificity of cytokeratin 20 in the diagnosis of extramammary Paget's disease
M.L-C.WU AND J.GUITART

569 Congenital papular xanthoma
S-H.KIM. K-J.KOH. J-H.CHOI. K-J.SUNG. K-C.MOON AND J-K.KOH

571 Normolipaemic xanthomata in association with human immunodeficiency virus infection
H.M.RAMSAY. M.C.GARRIDO AND A.G.SMITH

573 Cutaneous squamous cell carcinoma with zosteriform metastases in a human immunodeficiency virus-infected patient
L.A.FEARFIELD. M.NELSON. N.FRANCIS AND C.B.BUNKER

574 Combined ultraviolet A1 radiation and acitretin therapy as a treatment option for pityriasis rubra pilaris
R.A.HERBST. M.VOGELBRUCH. A.EHNIS. P.KIEHL. A.KAPP AND J.WEISS

575 Pemphigoid nodularis associated with nifedipine
M.AMEEN. K.E.HARMAN AND M.M.BLACK

577 Acute generalized exanthematous pustulosis following use of ticlopidine
S.P.CANNAVÒ. F.BORGIA. F.GUARNERI AND M.VACCARO

578 Is systemic autoimmune disease a risk factor for terbinafine-induced erythema multiforme?
V.GOETEYN. J.M.NAEYERT. J.LAMBERT. L.MONBALIU AND F.VERMANDER

579 Intranasal betamethasone induced acne and adrenal suppression
J.L.BONG. J.M.C.CONNELL AND R.LEVER

580 Treatment of haemodialysis-associated pseudoporphyria with *N*-acetylcysteine: report of two cases
J.VADOUD-SEYEDI. G.DE DOBBELEER AND T.SIMONART

581 Severe course of chronic urticaria, athralgia, fever and elevation of erythrocyte sedimentation rate: Schnitzler's syndrome without monoclonal gammopathy?
R.HUSAK. S.NESTORIS. S.GOERDT AND C.E.ORFANOS

582 High-dose intravenous immune globulin is also effective in linear IgA disease
M.M.KROISS. T.VOGT. M.LANDTHALER AND W.STOLZ

582 Pustular psoriasis exacerbated by pregnancy and controlled by cyclosporin A
T.M.FINCH AND C.Y.TAN

584 Photodistributed chickenpox mimicking polymorphic light eruption
G.E.N.OSBORNE AND J.L.M.HAWK

585 Melanoma follow-up: protocols and practice
E.HORMBREY. P.BANWELL. P.GILLESPIE AND P.BUDNY

586 Elastotic change in the subpapillary and mid-dermal layers in pseudoxanthoma elasticum-like papillary dermal elastolysis
S.TAJIMA. Y.OHNISHI. A.AKAGI. A.ISHIBASHI AND T.SASAKI

588 Seasonal variation in herpes zoster infection
M.GALLERANI AND R.MANFREDINI

589 Photopatch testing in photosensitive patients
H.K.BELL AND L.E.RHODES

591 British Society for Investigative Dermatology Annual Meeting Programme and Abstracts

628 Erratum

628 Book Reviews

628 News and Notices

Volume 142, Number 4, April 2000

Editorial comments

631 Mohs' micrographic surgery for cutaneous squamous cell carcinoma: practical considerations
N.R.TELFER

633 Thyroid hormone and hair growth
A.G.MESSENGER

634 Stealth tactics of staphylococci
J.P.McFADDEN

Review article

636 Is morphoea caused by *Borrelia burgdorferi*? A review
B.WEIDE. T.WALZ AND C.GARBE

Original articles

645 Thyroid hormone receptor β1 is expressed in the human hair follicle
N.BILLONI. B.BUAN. B.GAUTIER. O.GAILLARD. Y.F.MAHÉ AND B.A.BERNARD

653 Protective role of nitric oxide-mediated inflammatory response against lipid peroxidation in ultraviolet B-irradiated skin
S-C.LEE. J-W.LEE. J.E.JUNG. H-W.LEE. S.D.CHUN. I.K.KANG. Y.H.WON AND Y.P.KIM

660 Ultraviolet B radiation exerts enhancing effects on the production of a complement component, C3, by interferon-γ-stimulated cultured human epidermal keratinocytes, in contrast to photochemotherapy and ultaviolet A radiation that show suppressive effects
T.TERUI. M.FUNAYAMA. T.TERUNUMA. K.TAKAHASHI AND H.TAGAMI

669 Atopic dermatitis-like symptoms in hypomagnesaemic hairless rats are prevented and inhibited by systemic or topical SDZ ASM 981
G.NECKERMANN. A.BAVANDI AND J.G.MEINGASSNER

680 Effects of two novel cationic staphylococcal proteins (NP-tase and p70) and enterotoxin B on IgE synthesis and interleukin-4 and interferon-γ production in patients with atopic dermatitis
A.JAHREIS. P.BECKHEINRICH AND U-F.HAUSTEIN

688 DNA image cytometry in malignant and benign sweat gland tumours
M.VOGELBRUCH. A.BÖCKING. A.RÜTTEN. A.KAPP AND P.KIEHL

694 The temporal and spatial distribution of $p21^{WAF}$ expression in skin appendages
Y-Y.WU. M.TAKATA. I.REHMAN AND J.L.REES

702 Dissociation of intra- and extracellular domains of desmosomal cadherins and E-cadherin in Hailey–Hailey disease and Darier's disease
M.HAKUNO. H.SHIMIZU. M.AKIYAMA. M.AMAGAI. J.K.WAHL. M.J.WHEELOCK AND T.NISHIKAWA

712 Is there a geographical variation in eczema prevalence in the U.K.? Evidence from the 1958 British cohort study
N.J.McNALLY. H.C.WILLIAMS. D.R.PHILLIPS AND D.P.STRACHAN

721 The British Association of Dermatologists audit of atopic eczema management in secondary care. Phase 3: audit of service outcome
K.W.SHUM. S.LAWTON. H.C.WILLIAMS. G.DOCHERTY AND J.JONES

728 The Salford Psoriasis Index: an holistic measure of psoriasis severity
B.KIRBY. D.G.FORTUNE. M.BHUSHAN. R.J.G.CHALMERS AND C.E.M.GRIFFITHS

733 Psoralen-ultraviolet A-induced erythema: sensitivity correlates with the concentrations of psoralen in suction blister fluid
U-C.YEO. J-H.SHIN. J-M.YANG. K-B.PARK. M-M.KIM. H-S.BOK AND E-S.LEE

740 Evaluation of a multicentre study of synchronous application of narrowband ultraviolet B phototherapy (TL-01) and bathing in Dead Sea salt solution for psoriasis vulgaris
R.SCHIFFNER. J.SCHIFFNER-ROHE. G.WÖLFL. M.LANDTHALER. A.GLÄSL. T.H.WALTHER. F.HOFSTÄDTER AND W.STOLZ

748 Measurement of patient dose in ultraviolet therapy using a phantom
C.A.FULLJAMES AND A.D.WELSH

752 A retrospective study of outcome of Mohs' micrographic surgery for cutaneous squamous cell carcinoma using formalin fixed sections
R.J.TURNER. N.LEONARD. A.J.MALCOLM. C.M.LAWRENCE AND M.G.C.DAHL

758 *In vitro* susceptibility of the seven *Malassezia* species to ketoconazole, voriconazole, itraconazole and terbinafine
A.K.GUPTA. Y.KOHLI. A.LI. J.FAERGEMANN AND R.C.SUMMERBELL

Case reports

766 CD56 expression in a case of primary cutaneous CD30+ anaplastic large cell lymphoma
S-E.CHANG. I-J.PARK. J.HUH. J-H.CHOI. K-J.SUNG. K-C.MOON AND J-K.KOH

771 Systemic Hodgkin's lymphoma in a patient with Sézary syndrome
J.J.SCARISBRICK. E.CHILD. M.SPITTLE. E.CALONJE AND R.RUSSELL-JONES

776 Lymphoepithelioid cell lymphoma (Lennert's lymphoma) presenting as atypical granuloma annulare
M.BHUSHAN. N.M.CRAVEN. G.R.ARMSTRONG AND R.J.G.CHALMERS

781 Scleredema associated with paraproteinaemia treated by extracorporeal photopheresis
G.I.STABLES. P.C.TAYLOR AND A.S.HIGHET

784 Neutrophilic eccrine hidradenitis secondary to infection with *Serratia marcescens*
P.COMBEMALE. M.FAISANT. C.AZOULAY-PETIT. M.DUPIN AND J.KANITAKIS

789 Familial cluster of cutaneous *Mycobacterium avium* infection resulting from use of a circulating, constantly heated bath water system
Y.SUGITA. N.ISHII. M.KATSUNO. R.YAMADA AND H.NAKAJIMA

794 Acquired tufted angioma: a unique vascular lesion not previously reported in the oral mucosa
C.L.KLEINEGGER, H.L.HAMMOND, S.D.VINCENT AND M.W.FINKELSTEIN

800 Generalized eruptive keratoacanthoma (Grzybowski variant)
J.E.CONSIGLI, M.E.GONZÁLEZ, R.MORSINO, A.GUIDI, J.M.CHAPPUIS, M.PAPA AND S.MALDONADO

804 Eosinophilic fasciitis treated with psoralen-ultraviolet A bath photochemotherapy
R.SCHIENER, S.C.BEHRENS-WILLIAMS, P.GOTTLÖBER, H.PILLEKAMP, R.U.PETER AND M.KERSCHER

808 Fixed erythrodysaesthesia plaque due to intravenous injection of docetaxel
C-Y.CHU, C-H.YANG, C-Y.YANG, G-H.HSIAO AND H-C.CHIU

Correspondence

812 A case of paraneoplastic pemphigus with antidesmoglein 1 antibodies as determined by immunoblotting
P.MARTEL, D.GILBERT, B.LABEILLE, J.KANITAKIS AND P.JOLY

813 A vesicular bullous pemphigoid with an autoantibody against plectin
Y.OHNISHI, S.TAJIMA, A.ISHIBASHI AND S.FUJIWARA

815 An inflammatory desquamative dermatosis of the ear with anti-180 kDa antibodies: localized cicatricial pemphigoid?
A.DRUMMOND, G.GUPTA, I.R.C.SWAN AND J.THOMSON

816 Pemphigus foliaceus and figurate erythema in a patient with prostate cancer
M.OTA, K.C.SATO-MATSUMURA, T.MATSUMURA, Y.TSUJI AND A.OHKAWARA

818 Multiple myeloma and Kaposi's sarcoma: what is the association?
A.J.J.ABDULLA, S.E.MUNN, N.HARDWICK, S.HARRIS, M.HOWARD AND P.REVELL

820 Metastatic calcinosis cutis in multiple myeloma
A.J.CHAVES ALVAREZ, A.HERRERA SAVAL, J.MARQUEZ ENRIQUEZ AND F.CAMACHO MARTINEZ

822 A case of angiosarcoma of the face successfully treated with combined chemotherapy and radiotherapy
L.AMATO, S.MORETTI, G.M.PALLESCHI, I.GALLERANI, A.FRANCHI AND P.FABBRI

824 Multiple actinic keratoses and squamous cell carcinomas on the sun-exposed areas of widespread vitiligo
S.AKIMOTO, Y.SUSUKI AND O.ISHIKAWA

825 Erythroplasia of Queyrat treated by topical aminolaevulinic acid photodynamic therapy: a cautionary tale
S.VARMA, P.J.A.HOLT AND A.V.ANSTEY

826 Therapeutic options for erythropoietic protoporphyria
D.J.TODD

827 Reply
G.M.MURPHY

827 Pyoderma gangrenosum with pathergic phenomenon in pregnancy
B.SASSOLAS, Y.LE RU, P.PLANTIN, G.LAIR, P-E.DUPRE, G.COCHARD AND G.GUILLET

828 Myeloperoxidase-antineutrophil cytoplasmic antibody-associated vasculitis following propylthiouracil therapy
S.OTSUKA, A.KINEBUCHI, H.TABATA, A.YAMAKAGE AND S.YAMASAKI

830 Eosinophilic fasciitis following exposure to trichloroethylene: successful treatment with cyclosporin
N.HAYASHI, A.IGARASHI, T.MATSUYAMA AND S.HARADA

832 Cyclosporin-induced flushing in a renal transplant recipient resolving after substitution with tacrolimus
H.M.RAMSAY AND P.N.HARDEN

833 Digital necrosis related to cisplatin in systemic sclerosis
I.MARIE, H.LEVESQUE, D.PLISSONNIER, X.BALGUERIE, N.CAILLEUX AND H.COURTOIS

834 Thrombotic and necrotizing panniculitis associated with recombinant human granulocyte colony-stimulating factor treatment
O.DEREURE, D.BESSIS, T.LAVABRE-BERTRAND, C.EXBRAYAT, N.FEGUEUX, C.BIRON AND J-J.GUILHOU

836 Linear lichen planus related to hepatitis C infection?
C.S.JURY AND C.S.MUNRO

837 Eruptive acne vulgaris with infectious mononucleosis
T.JANSEN, R.ROMITI, S.WOITALLA AND G.PLEWIG

838 Successful treatment using clarithromycin for a cutaneous lesion caused by *Mycobacterium szulgai*
T.SHIMIZU, K.KODAMA, H.KOBAYASHI, A.OHKAWARA, K.OGAWA AND S.TANIGUCHI

840 Effectiveness of terbinafine in cutaneous altenariosis
G.E.ALTOMARE, G.L.CAPELLA, V.BONESCHI AND M.A.VIVIANI

841 A case of follicular mucinosis treated successfully with minocycline
S.YOTSUMOTO, H.UCHIMIYA AND T.KANSAKI

842 Clear cell acanthoma developing on a psoriatic plaque: further evidence of an inflammatory aetiology?
T.M.FINCH AND C.Y.TAN

844 The lateralization of lichen simplex is independent of hand dominance
M.MURPHY AND A.J.CARMICHAEL

845 Chronic actinic dermatitis in young atopic dermatitis sufferers
M.I.OGBOLI AND L.E.RHODES

845 Fixed drug eruption due to phenylpropanolamine hydrochloride
H.HEIKKALÄ, A-L.KARINIEMI AND S.STUBB

847 Treatment of pearly penile papules with cryotherapy
W.M.PORTER AND C.B.BUNKER

848 Nail changes in lichen planus may resemble those of yellow nail syndrome
A.TOSTI, B.M.PIRACCINI AND N.CAMELI

849 Erratum
849 News and Notices
850 Announcement
850 Book Reviews

Volume 142, Number 5, May 2000

Editorial comments

853 Cutaneous CD56 natural killer and natural killer-like T-cell lymphoma
D.N.SLATER

855 Phototherapy and acne vulgaris
W.J.CUNLIFFE AND V.GOULDEN

Review article

857 The usage of complementary therapies by dermatological patients: a systematic review
E.ERNST

Original articles

862 The human hair follicle immune system: cellular composition and immune privilege
T.CHRISTOPH, S.MÜLLER-RÖVER, H.AUDRING, D.J.TOBIN, B.HERMES, G.COTSARELIS, R.RÜCKERT AND R.PAUS

874 Modulation of skin collagen metabolism by irradiation: collagen synthesis is increased in irradiated human skin
R.RIEKKI, A.JUKKOLA, M-L.SASSI, M.HÖYHTYÄ, M.KALLIOINEN, J.RISTELI AND A.OIKARINEN

881 Barrier recovery rate varies time-dependently in human skin
M.DENDA AND T.TSUCHIYA

885 The cutaneous microflora of adolescent, persistent and late-onset acne patients does not differ
A.E.TILL, V.GOULDEN, W.J.CUNLIFFE AND K.T.HOLLAND

893 Sensitivity and specificity of epiluminescence microscopy: evaluation on a sample of 2731 excised cutaneous pigmented lesions
P.A.ASCIERTO, G.PALMIERI, E.CELENTANO, R.PARASOLE, C.CARACÒ, A.DAPONTE, M.G.CHIOFALO, M.T.MELUCCI, N.MOZZILLO, R.A.SATRIANO, G.CASTELLO AND THE MELANOMA COOPERATIVE GROUP

899 Patients' illness perceptions and coping as predictors of functional status in paoriasis: a 1-year follow-up
M.SCHARLOO, A.A.KAPTEIN, J.WEINMAN, W.BERGMAN, B.J.VERMEER AND H.G.M.ROOIJMANS

908 Immune responses to SS-A 52-kDa and 60-kDa proteins and to SS-B 50-kDa protein in mothers of infants with neonatal lupus erythematous
N.YUKIKO

913 Primary cutaneous B-cell lymphoma: a clinical, histological, phenotypic and genotypic study of 21 cases
K.GRØNBÆK, P.H.MØLLER, T.NEDERGAARD, K.THOMSEN, O.BAADSGAARD, K.HOU-JENSEN, J.ZEUTHEN, P.GULDBERG AND E.RALFKLÆR

924 Clinicopathological features of CD56+ nasal-type T/natural killer cell lymphomas with lobular panniculitis
S-E.CHANG, J.HUH, J-H.CHOI, K-J.SUNG, K-C.MOON AND J-K.KOH

931 Topical corticosteroid phobia in patients with atopic eczema
C.R.CHARMAN, A.D.MORRIS AND H.C.WILLIAMS

937 Clinical features of 31 patients with systemic contact dermatitis due to the ingestion of *Rhus* (lacquer)
S.D.PARK, S-W.LEE, J-H.CHUN AND S-H.CHA

943 Microbiology of infected poison ivy dermatitis
I.BROOK, E.H.FRAZIER AND J.K.YEAGER

947 The clinical genetics of hidradenitis suppurativa revisited
J.M.VON DER WERTH, H.C.WILLIAMS AND J.A.RAEBURN

954 Schnitzler syndrome: heterogeneous immunopathological findings involving IgM-skin interactions
D.LIPSKER, D.SPEHNER, R.DRILLIEN, P.SCHMITT, B.CRIBIER, E.HEID, R-L.HUMBEL AND E.GROSSHANS

960 A multicentre study of percentage change in venous leg ulcer area as a prognostic index of healing at 24 weeks
J.KANTOR AND D.J.MARGOLIS

965 Once weekly fluconazole is effective in children in the treatment of tinea capitis: a prospective, multicentre study
A.K.GUPTA, N.DLOVA, P.TABORDA, N.MORAR, V.TABORDA, C.W.LYNDE, N.KONNIKOV, M.BORGES, N.RABOOBEE, R.C.SUMMERBELL, P.ADAM, S.L.R.HOFSTADER AND J.ABOOBAKER

969 Ivermectin alone or in combination with benzyl benzoate in the treatment of human immunodeficiency virus-associated scabies
F.ALBERICI, L.PAGANI, G.RATTI AND P.VIALE

973 Phototherapy with blue (415 nm) and red (660 nm) light in the treatment of acne vulgaris
P.PAPAGEORGIOU, A.KATSAMBAS AND A.CHU

979 Topical application of St. John's Wort (*Hypericum perforatum* L.) and of its metabolite hyperforin inhibits the allostimulatory capacity of epidermal cells
C.M.SCHEMPP, B.WINGHOFER, R.LÜDTKE, B.SIMON-HAARHAUS, E.SCHÖPF AND J.C.SIMON

985 Treatment of psoriasis with topical N^G-monomethyl-L-arginine, an inhibitor of nitric oxide synthesis
A.D.ORMEROD, P.COPELAND AND S.A.A.SHAH

991 Re-epithelialization rate and protein expression in the suction-induced wound model: comparison between intact blisters, open wounds and calcipotriol-pretreated open wounds
T.LEIVO, U.KIISTALA, M.VESTERINEN, K.OWARIBE, R.E.BURGESON, I.VIRTANEN AND A.OIKARINEN

1003 Interleukin 4 receptor alpha chain polymorphism Gln551Arg is associated with adult atopic dermatitis in Japan
N.OISO, K.FUKAI AND M.ISHII

1007 Odorant inhalation affects skin barrier homeostasis in mice and humans
M.DENDA. T.TSUCHIYA. K.SHOJI AND M.TANIDA

Short communication

1011 Interdigital dermatitis: sentinel skin damage in hairdressers
H.J.SCHWANITZ AND W.UTER

Case reports

1013 Digital ulcers and necroses: novel manifestations of angiocentric lymphoma
T.OHTSUKA. A.YAMAKAGE AND S.YAMAZAKI

1017 Cutaneous presentation of steroid responsive blastoid natural killer cell lymphoma
C.P.R.BOWER. G.R.STANDEN. J.PAWADE. C.J.KNECHTLI AND C.T.C.KENNEDY

1021 Nasal and nasal type CD56+ natural killer cell/T-cell lymphoma: a case with rapid progression to bone marrow involvement
S.J.AHN. K.A.JANG. J.H.CHOI. K.J.SUNG. K.C.MOON AND J.K.KOH

1026 Aggressive granulomatous mycosis fungoides with clinical pulmonary and thyroid involvement
E.GÓMEZ-DE LA FUENTE. P.L.ORTIZ. E.VANACLOCHA. J.L.RODRIGUEZ-PERALTO AND L.IGLESIAS

1030 Development of systemic sclerosis in a patient with systemic lupus erythematosus and topoisomerase I antibody
S.KATSUMI. N.KOBAYASHI. Y.YAMAMOTO. S.MIYAGAWA AND T.SHIRAI

1034 Lipoatrophic panniculitis and chromosome 10 abnormality
A.MARTINEZ. M.MALONE. P.HOEGER. R.PALMER AND J.I.HARPER

1040 Congenital multiple clustered dermatofibroma
P.DE UNAMUNO. Y.CARAMES. E.FERNANDEZ-LOPEZ. A.HERNANDEZ-MARTIN AND C.PEÑA

1044 Multiple minute digitate hyperkeratoses
S.TAKAGAWA. T.SATOH. H.YOKOZEKI AND K.NISHIOKA

Correspondence

1047 Comedo-like acantholytic dyskeratosis of the face and scalp: a new entity?
T.NAKAGAWA. M.MASADA. T.MORIUE AND T.TAKAIWA

1048 Is recurrent plantar hidradenitis in children induced by exposure to a wet and cold milieu?
L.WEIGL. B.EBERLEIN-KÖNIG. J.RING AND D.ABECK

1050 Eccrine syringofibroadenoma developing in a sebaceous naevus
M.NOGUCHI. M.AKIYAMA. M.KAWAKAMI. T.NAGASHIMA. K.NIIZUMA AND I.MATSUO

1051 Coexistence of pyoderma gangrenosum and Cushing's disease: a paradoxical association?
B.DE SILVA AND V.R.DOHERTY

1052 A case of cutaneous acral sarcoidosis with response to allopurinol
F.ANTONY AND A.M.LAYTON

1054 HIV-associated granuloma annulare (HAGA): a report of six cases
E.J.O'MOORE. R.NANDAWNI. S.UTHAYAKUMAR. A.T.NAYAGAM AND C.R.DARLEY

1056 Cutaneous angiomatosis following implanted osteosynthesis nail: a manifestation of nickel allergy?
E.SNELLMAN. R.O.NISKANEN. L.JESKANEN AND H.HEIKKILÄ

1057 Generalised pustular psoriasis developing during withdrawal of short-term cyclosporin therapy
S.GEORGALA. E.KOUMANTAKI. E.RALLIS AND E.PAPADAVID

1058 Cream PUVA therapy for scleredema adultorum
M.GRUNDMANN-KOLLMANN. F.OCHSENDORF. T.M.ZOLLNER. K.SPIETH. R.KAUFMANN AND M.PODDA

1059 The ultraviolet passport: an important instrument for monitoring long-term side effects in photo(chemo)therapy
E.M.SACHSENBERG-STUDER. E.R.OCHSENDORF. M.GRUNDMANN-KOLLMANN. M.PODDA. J.KRUTMANN AND R.KAUFMANN

1060 Possible diagnostic role of telomerase activity evaluation in the differential diagnosis between Spitz naevi and cutaneous malignant melanoma
P.TOSI. C.MIRACCO. R.SANTOPIETRO. L.PACENTI. R.PEROTTI. M.MATERNO AND P.LUZI

1061 Palisaded encapsulated neuroma (solitary circumscribed neuroma) of the glans penis
M.NAVARRO. J.VILATA. C.REQUENA AND A.ALIAGA

1062 Multiple eruptive dermatofibromas occurring in a patient with acute myeloid leukaemia
S-E.CHANG. J-H.CHOI. K-J.SUNG. K-C.MOON AND J-K.KOH

1063 Paronychia and excess granulation tissue of the toes and finger in a patient treated with indinavir
E.DAUDÉN. M.PASCUAL-LÓPEZ. C.MARTÍNEZ-GARCÍA AND A.GARCÍA-DÍEZ

1064 Tinea barbae due to *Trichophyton rubrum* with possible involvement of autoinoculation
A.KAWADA. Y.ARAGANE. A.MAEDA. T.YUDATE. T.TEZUKA AND M.HIRUMA

1065 Kerion formation caused by *Trichophyton rubrum*
E.A.IVE

1066 Strongyloidiasis and natural killer cell lymphocytosis
P.DEL GIUDICE

1066 Strongyloidiasis, angio-oedema and natural killer cell lymphocytosis: reply from authors
E.L.SPEIGHT. B.MYERS AND J.M.DAVIES

1066 Evidence for double resistance to permethrin and malathion in head lice
M.DAWES

1067 Evidence for double resistance to permethrin and malathion in head lice: reply from authors
A.M.R.DOWNS. K.A.STAFFORD. I.HARVEY AND G.C.COLES

1067 Nabumetone-associated pseudoprophyria
F.ANTONY AND A.M.LAYTON

1069 Phytophotodermatitis mimicking superficial lymphangitis
I.AHMED AND R.CHARLES-HOLMES

1069 Supravenous discoloration of the skin due to docetaxel treatment
D.SCHRIJVERS, J.VAN DEN BRANDE AND J.B.VERMORKEN
1071 Current British Research in Contact Dermatitis Programme and Abstracts
1075 Erratum
1075 Book Reviews
1077 News and Notices

Volume 142, Number 6, June 2000

Editorial comments
1079 Mast cell mediators other than histamine induced pruritus in atopic dermatitis patients – a dermal microdialysis study
M.GREAVES
1081 Antiphospholipid antibody syndrome: the problems and the promise
W.W.PIETTE

Review article
1084 Comedogenesis: some new aetiological, clinical and therapeutic strategies
W.J.CUNLIFFE, D.B.HOLLAND, S.M.CLARK AND G.I.STABLES

Original articles
1092 c-Myc expression in human anagen hair follicles
C.RUMIO, E.DONETTI, A.IMBERTI, I.BARAJON, E.PROSPERI, M.F.BRIVIO, A.BOSELLI, E.LAVEZZARI, S.VERALDI, M.BIGNOTTO AND P.CASTANO
1100 A novel *PTEN* mutation in a Japanse patient with Cowden disease
Y.KUBO, Y.URANO, Y.HIDA, T.IKEUCHI, M.NOMOTO, K.KUNITOMO AND S.ARASE
1106 Expression of Fc receptors for IgG during acute and chronic cutaneous inflammation in atopic dermatitis
R.C.M.KIEKENS, T.THEPEN, I.C.BIHIRI, E.E.KNOL, J.G.J.VAN DE WINKEL AND C.A.F.M.BRUIJNZEEL-KOOMEN
1114 Mast cell mediators other than histamine induce pruritus in atopic dermatitis patients – a dermal microdialysis study
R.RUKWIED, G.LISCHETZKI, F.McGLONE, G.HEYER AND M.SCHMELZ
1121 *N*-acetyltransferase 1 and 2 polymorphisms in *para*-substituted arylamine-induced contact allergy
G.A.WESTPHAL, K.REICH, T.G.SCHULZ, C.NEUMANN, E.HALLIER AND A.SCHNUCH
1128 Surveillance of occupational skin disease: EPIDERM and OPRA
N.CHERRY, J.D.MEYER, A.ADISESH, R.BROOKE, V.OWEN-SMITH, C.SWALES AND M.H.BECK
1135 The use of two substrates to improve the sensitivity of indirect immunofluorescence in the diagnosis of pemphigus
K.E.HARMAN, M.J.GRATIAN, B.S.BHOGAL, S.J.CHALLACOMBE AND M.M.BLACK
1140 Role for tumour necrosis factor-α receptors in ultraviolet-induced skin tumours
B.STARCHER
1148 Mucosal human papillomavirus types in squamous cell carcinomas of the uterine cervix and susequently on fingers
O.FORSLUND, P.NORDIN AND B.G.HANSSON
1154 Prevalence of solar damage and acitinic keratosis in a Merseyside population
A.A.MEMON, J.A.TOMENSON, J.BOTHWELL AND P.S.FRIEDMANN
1160 Calcipotriol ointment and cream or their vehicles applied immediately before irradiation inhibit ultraviolet B-induced erythema
M.A.DE RIE, S.DI NUZZO, S.BRANDS, A.B.HANSEN AND J.D.BOS
1166 Cost evaluation of the medical management of neurofibromatosis 1: a prospective study on 201 patients
P.WOLKENSTEIN, I.DURAND-ZALESKI, J.C.MORENO, J.ZELLER, F.HEMERY AND J.REVUZ
1171 Nailfold video capillaroscopy in psoriasis
M.BHUSHAN, T.MOORE, A.L.HERRICK AND C.E.M.GRIFFITHS
1177 A randomized trial of amorolfine 5% solution nail lacquer combined with oral terbinafine alone in the treatment of dermatophytic toenail onychomycoses affecting the matrix region
R.BARAN, M.FEUILHADE, A.DATRY, S.GOETTMANN, P.PIETRINI, C.VIGUIE, G.BADILLET, C.LARNIER AND J.CZERNIELEWSKI

Case reports
1184 Regressing Merkel cell carcinoma – a case showing replacement of tumour cells by foamy cells
K.MARUO, K.-I.KAYASHIMA AND T.ONO
1190 Two cases of vulval pigmented extramammary Paget's disease: histochemical and immunohistochemical studies
H.CHIBA, T.KAZAMA, T.TAKENOUCHI, S.NOMOTO, S.YAMADA, O.TAGO AND M.ITO
1195 Treatment of verrucous carcinoma of vulva with acitretin
R.K.MEHTA, E.RYTINA AND J.C.STERLING
1199 Widespread cutaneous necrosis occurring in association with the antiphospholipid syndrome: a report of two cases
D.CREAMER, B.J.HUNT AND M.M.BLACK
1204 Depigmented hypertrichosis following Blaschko's lines associated with cerebral and ocular malformations: a new neurocutaneous, autosomal lethal gene syndrome from the group of epidermal naevus syndromes?
S.SCHAUDER, F.HANEFELD, U.M.NOSKE AND B.ZOLL
1208 Linear eruptions of the nose in childhood: a form of lichen striatus?
M-W.LEE, J-H.CHOI, K-J.SUNG, K-C.MOON AND J-K.KOH
1213 Linear IgA disease with IgA antibodies directed against 200- and 280-kDa epidermal antigens
W.FUJIMOTO, T.OHTSU, Y.TOI, G.NAKANISHI AND J.ARATA
1219 Red facial pseudochromhidrosis
G.P.THAMI, A.J.KANWAR AND MAMTA
1221 Photosensitive mycosis fungoides or actinic reticuloid?
B.D.DE SILVA, K.McLAREN AND G.M.KAVANAGH

1228 Pseudoscleroderma associated with lung cancer: correlation of collagen type I and connective tissue growth factor gene expression
C.QUERFELD, S.SOLLBERG, C.HUERKAMP, B.ECKES AND T.KRIEG

Correspondence

1234 Langerhans cell histiocytosis in a child presenting as a pustular eruption
P.GOTTLÖBER, L.WEBER, W.BEHNISCH, G.BEZOLD, R.U.PETER AND M.KERSCHER

1235 Normolipaemic plane xanthomatosis associated with mycosis fungoides
T.ITO, Y.TOKURA, Y.YOSHINARI, E.FURUKAWA AND M.TAKIGAWA

1237 The prevalence of human T-cell lymphotropic virus type I infection in patients with cutaneous malignancies
H.KAWABATA, M.SETOYAMA, S.HANADA, K.UOZUMI, T.KANEKURA AND T.KANZAKI

1238 Spindle cell hemangioendothelioma: successful treatment with recombinant interleukin-2
M.SETOYAMA, H.SHIMADA, N.MIYAZONO, Y.BABA AND T.KANZAKI

1239 Subungual angioleiomyoma masquerading as a glomus tumour
R.BARAN, L.REQUENA AND J.L.DRAPÉ

1241 Calcification in the apocrine glands of naevus sebaceus
S.W.CHOI, H.J.WOO, K-Y.RHO, S.J.KANG, S.YI AND H.O.KIM

1242 Syringocystadenoma papilliferum presenting as a cutaneous horn
S.Y.WEN

1244 Normal anagen effluvium: a sign of pemphigus vulgaris
S.DELMONTE, M.T.SEMINO, A.PARODI AND A.REBORA

1245 Improvement of folliculitis decalvans following shaving of the scalp
S.L.WALKER, H.R.SMITH, K.LUN AND W.A.D.GRIFFITHS

1246 Rheumatoid neutrophilic dermatitis associated with pyoderma gangrenosum
A.MACAYA, O.SERVITJE, A.JUCGLÀ AND J.PEYRÍ

1248 Recurrent erythema multiforme and chronic hepatitis C: efficacy of interferon alpha
V.DUMAS, N.THIEULENT, A.L.SOUILLET, D.JULLIEN, M.FAURE AND A.CLAUDY

1249 Should patients with pruritus be tested for hepatitis C virus infection? A case-controlled study
B.J.CRIBIER, F.SANTINELLI, C.SCHMITT, F.STOLL-KELLER AND E.GROSSHANS

1250 Pityriasis rosea, HHV-7 and multiple sclerosis. A coincidence?
F.DRAGO, E.RANIERI, C.BRUSATI, C.LUGANI AND A.REBORA

1251 Detection of *Mycobacterium tuberculosis* DNA in a patient with Melkersson–Rosenthal syndrome using polymerase chain reaction
R.APAYDIN, N.BİLEN, D.BAYRAMGÜRLER, H.EFENDİ AND H.VAHABOĞLU

1252 Confluent and reticulate papillomatosis: successful treatment with azithromycin
K.K.RAJA BABU, S.SNEHAL AND D.SUDHA VANI

1253 Staphylococcal scalded skin syndrome in healthy adults
G.K.PATEL, S.VARMA AND A.Y.FINLAY

1254 Amlodipine induced-photosensitivity presenting as telangiectasia
S.A.GRABCZYNSKA AND N.COWLEY

1256 Strawberry glans penis: a rare manifestation of angiokeratomas involving the glans penis
L.CARRASCO, M.J.IZQUIERDO, M.C.FARIÑA, L.MARTÍN, C.MORENO AND L.REQUENA

1257 Grover's disease secondary to ribavirin
I.ANTUNES, F.AZEVEDO, J.MESQUITTA-GUIMARÃES, C.RESENDE, N.FERNANDES AND G.MACEDO

1258 Granulomatous nodule on vocal cord possibly induced by etretinate therapy
H.KANOH, T.IZUMI, T.HIRAMATSU, M.OHNISHI, M.MURAI AND M.SEISHIMA

1260 Fexofenadine induced QT prolongation: a myth or fact?
S.DHAR, P.K.HAZRA, S.MALAKAR AND G.MISTRI

1261 Cutaneous alternariosis by *Alternaria chartarum* in a renal transplanted patient
S.MAGINA, C.LISBOA, P.SANTOS, G.OLIVEIRA, J.LOPES, M.ROCHA AND J.MESQUITA-GUIMARÃES

1262 Bilateral congenital adipose plantar nodules
A.ESPÃNA, R.M.PUJOL, M.A.IDOATE, J.VÁZQUEZ-DOVAL AND J.ROMANÍ

1265 British Photodermatology Group abstracts
1268 Errata
1268 Book Reviews
1269 News and Notices
1271 Subject index
1282 Author index